



# **ProCair Prime**

A versatile alternating pressure mattress with a built-in pump and handset control for comfort and independence

# **ProCair Prime**

Experience the ultimate in comfort and care with the ProCair Prime. This unique alternating pressure mattress features an integrated pump and handset control, seamlessly blending into both home and aged care environments. Enjoy user independence with adjustable comfort settings directly from the bed, and benefit from the versatility of hybrid mode paired with the clinical effectiveness of dynamic alternation—all in one system.





No more concerns over correct pressure level settings with AutoCairautomatic weight sensing technology that automatically adjusts pressure settings to keep the client within a safe pressure range for effective therapy.

## **DuoCair**

Mattress can be easily converted to a hybrid mattress by adjusting the position of a built-in foam layer.

Hybrid mode provides even greater comfort for the client. Easily and quickly converts back into dynamic mode to step-up to complete pressure offloading if required.






### **Dynamic Mode**

Active alternation therapy for up to Stage 4 pressure injury.

TOP COVER





### **Hybrid Mode**

Combines air with a soft foam surface and provides comfort and pressure redistribution.

FOAM

CELLS UNDER FOAM 0000000000

TOP COVER

BASE



|                       |        | Single           | King Single |
|-----------------------|--------|------------------|-------------|
| Code                  |        | APMPC-R03        | APMPC-R03K  |
|                       | Length | 2000 mm          | 2000 mm     |
| Dimensions            | Width  | 900 mm           | 1050 mm     |
|                       | Height | 180 mm           | 180 mm      |
| Mattress weight       |        | 12 kg            | 13 kg       |
| Risk category         |        | High             |             |
| Fowler boost          |        | Manual           |             |
| Capacity (swl)        |        | 30 - 200 kg      |             |
| Total number of cells |        | 21               |             |
| Static head cells     |        | 3                |             |
| Alternation cycle     |        | 1:2              |             |
| Cell type             |        | Foam Insert      |             |
| Cell material         |        | TPU Coated Nylon |             |
| Top cover             |        | Carrflex Extreme |             |
| Control unit          |        | Built-in         |             |
| Warranty              |        | 3 year           |             |
| Compliance            |        | ARTG 289458      |             |

