## MEYRA SKY

# novis

### STAND TALL AND PROUD

### THE STANDING CHAIR WITH POWER TILT & ELEVATION

Get eye-to-eye with friends and colleagues with the Meyra Sky. With a nimble mid-wheel drive configuration and standing up function—up to 90°\*—you can meet life eye-to-eye.

Go from full recline position to standing up—and any position inbetween. Unlike other standing chairs, the Sky has a maximum user weight of 140 kg in any recline or standing position.





Crash tested



Make social interactions easier, reduce risk of respiratory complications

- Power elevation & power seat tilt
  Tilt 0° to 40° and power elevation up to 200mm
   comfortable and reduces back pain
- Manoeuvrable mid-wheel drive Stable and manoeuvrable indoors
- Crash tested for safety

Complies with international ISO safety standards for crash safety

\*Only in static (non-drive) mode



Stand up to 90°—make socialising easier, reduce risk of respiratory complications



Mid-wheel drive—stable and manoeuvrable indoors



Tilt 0° to 40° & 200mm elevation—comfortable and reduces back pain



Chair position memory function—find your comfort zone and save it

## MEYRA SKY



#### **TECHNICAL DATA**

Seat width in mm	400 - 530
Seat depth in mm	400 - 525
Seat height <sup>1) 2)</sup> in mm	450 / 485 / 520
Back height in mm	540
Lower leg length 1) in mm	250 - 435
Armrest height 1) in mm	200 - 350
Length with footrests min. in mm	1095
Transport length in mm	905
Width, ready to move min. 8	640
Height without headrest in mm	1080 - 1150
Obstacle height in mm	60
Turning radius min. (with foot-rests) in mm	640
Ground clearance in mm	70

- 1) to seat pan without seat cushion: Height of seat cushion 60 mm  $\,$
- 2) measured with 0° seat angle
- 3) Max. user weight incl. additional load 136 kg for passenger transport in car
- 4) From 100 kg user weight up adjustment of standing angle necessary

Min. transport weight empty in kg	173
Max. user weight 3) incl. additional load in kg	140
Permissible total weight incl. options in kg	340
Max. additional load in kg	10
Speed in km/h	6/10
Motor power W	350
Range with battery – 60 Ah max. in km	35
Range with battery – 74 Ah max. in km	40
Permitted uphill/downhill gradi-ent in per cent	15 %
Castor/drive wheel size in inches	6-7" /14"
Seat tilt, electrical, in degrees	40°
Standing angle max. up to <sup>4)</sup> in degrees	90°
Back angle electrical <sup>4)</sup> in degrees	90 – 180°
Lift in mm	200

 $Dimensions in mm, weights in kg, wheels in inches, speed in km/h, dimension tolerance \pm 10 \,mm. \, Data subject to design changes.$ 



<sup>\*</sup>Only in static (non-drive) mode