



NOVIS BED CATALOGUE 2024

Newport Floor Bed

Designed to reduce the risk of injury from falls and minimise the need for restraints, this fully featured, column-less electric bed can be lowered to an ultra low height of 110 mm from the floor. The bed also features a 740 mm high working height for increased carer ergonomics.

With expansive safety features and a range of design options, this versatile bed offers multiple positioning for maximum client care and comfort.

Available in Single and King Single sizes.



Telescopic Side Rails BE9012 (Sold as Pair)

Collapsible telescopic side rail system attaches firmly to bed frame. Simply drop down any of the 1-4 rails for client access or transfer.

Back Up Battery BE9013

A rechargeable battery pack designed for operation, in the event of a power failure. Battery attaches under the bed frame.

Self Help Pole BE9014

Support pole to aid client repositioning while lying in bed. Mounts into inbuilt brackets at either side of bed head.

IV Pole BE9015

For clients on intravenous fluids. Mounts into inbuilt brackets at either side of bed head.

Side Panels BE9016 (Sold as Pair)

Fabric, laminate, or vinyl side surround panels. 2 or 4 panel options depending on side rail configuration.









Underbed Light

Standard integrated safety lighting with automatic shut off. Initiated by any handset button and programmed to only go on at night.

Linked Locking Castors

Easily lockable single motion foot end castors, as well as lockable head end castors. The Newport Floor Bed can be solidly locked to the floor without bed footprint creep or wall damage when raising or lowering.



Length and Width Extensions

100-200 mm built in length extension and width extension kit available. Wipe clean mattress platform extension slides out at the foot end.

Design Options

Fabric / vinyl surrounds, head boards and foot boards offer unmatched design versatility. Standard oak laminate, other customised style and finishes are available upon request.



Quality Construction

Main frame constructed from powder coated steel for maximum strength.
Adjustable, contoured mattress retainers for mattress options.

Auto-regression backrest and CPR function with dampened backrest drop for safety.

Powered by a high quality reliable Linak electric drive system with an inbuilt Back Up Battery available as an optional accessory.

Hand Controller

Backlit electronic hand controller features clear icon labelled, soft press buttons for full functionality..





Newport Floor Bed

MODEL		Single	King Single	
CODE		BE1010 BE2010		
SAFE WORKING LOAD		225 kg 250 kg		
CAPACITY		190 kg	215 kg	
		10 year bed frame		
WARRANTY		5 year electrical		
		1 year castor		
FRAME MATERIAL		Powder coated steel		
HEAD / FOOT PANEL	COLOUR	Oak		
	STYLE	Contemporary		
PLATFORM HEIGHT RANGE		110 to 740 mm		
EXTENSION LENGTH		200mm		
DIMENSIONS (mm)	LENGTH	2115 to 2310 mm	2115 to 2310 mm	
	WIDTH	920 mm	1090 mm	
MATTRESS SIZE (mm) RECOMMENDED	LENGTH	1980 - 2000 mm	1980 - 2000 mm	
	WIDTH	880 - 900 mm	1050 - 1070 mm	
	HEIGHT	150 mm	150 mm	
BED FRAME WEIGHT (KG)*		115 kg	120 kg	
BACKREST ANGLE		0 to 70°		
KNEE BREAK ANGLE		0 to 35° (4 Section Bed)		
TRENDELENBURG TILT		0 to 15°		
COMPLIANCE		AS/NZS IEC 60601-2-52		

BE9013	Telescopic Side Rail, Pair Backup Battery
	Backup Battery
BE9014	Self Help Pole
BE9015	IV Pole
BE9016	Side Panels, Pair

BetterLiving Community Bed

The BetterLiving Community Bed is incredibly practical yet versatile to suit a range of home care needs. Operates as a four part, profiling bed with electric high-low height adjustment, back rest, knee break and Trendelenburg tilt—to deliver multiple positioning options to suit every need.

Available in Single and King Single sizes.



Side Rail, Three Quarter Length BE6003 (Sold as Pair)

Collapsible side rail system attaches firmly to bed frame. Simply drop down for client access or transfer.

Back Up Battery BE9012

A rechargeable battery pack designed for operation, in the event of a power failure. Battery attaches under the bed frame.

Self Help Pole BE7003

Support pole to aid client repositioning while lying in bed. Mounts into inbuilt brackets at either side of bed head.

IV Pole BE8003

For clients on intravenous fluids. Mounts into inbuilt brackets at either side of bed head.









Linak Electronics

Powered by a high quality Linak electric drive and constructed from durable powder coated steel. The frame includes a 200mm Length Extension and removable mattress retainers.

Transport Design

Bed ends are easily removable and bed frame splits into 2 sections making set up and removal of the complete bed possible in tight spaces.



Length Extension

200 mm built in length extension allows the foot end of the bed frame to extend to accommodate taller clients.

Locking Castors

Easily lockable individual castors allow bed manouverabilty and access to improved client care.

Hand Controller

Lightweight, water resistant hand controller with soft touch buttons and one touch auto contouring. Features lockout function, ideal for patients incapable of operating the bed due to cognitive impairment.

Each function can be individually locked out using the key, which is required to unlock and reactivate functionality.

Quality Construction

Main frame constructed from powder coated steel for maximum strength.

Auto-regression backrest reduces friction and shear forces when the backrest is raised.



Novis Bed Brochure 2024



BetterLiving Community Bed

MODEL		Single	King Single	
CODE		BE1005	BE2005	
SAFE WORKING LOAD		220 kg 220 kg		
CAPACITY		190 kg	190 kg	
WARRANTY		5 year bed frame		
		2 year electrical		
		1 year castor		
FRAME MATERIAL		Powder coated steel		
HEAD / FOOT PANEL	COLOUR	Golden Oak		
	STYLE	Contemporary		
PLATFORM HEIGHT RANGE		330 to 730 mm		
EXTENSION LENGTH		200mm		
DIMENSIONS (mm)	LENGTH	2170 to 2370 mm	2170 to 2370 mm	
	WIDTH	995 mm	1220 mm	
MATTRESS SIZE (mm) RECOMMENDED	LENGTH	1980 - 2000 mm	1980 - 2000 mm	
	WIDTH	880 - 900 mm	880 - 900 mm	
	HEIGHT	150 mm	150 mm	
BED FRAME WEIGHT (KG)*		74 kg	84 kg	
BACKREST ANGLE		0 to 70°		
KNEE BREAK ANGLE		0 to 32° (4 Section Bed)		
TRENDELENBURG TILT		0 to 10°		
COMPLIANCE		IEC 60601-2-52		

BE6003	3/4 Side Rail, Pair
BE9099	Backup Battery
BE7003	Self Help Pole
BE8003	IV Pole
BE9002	Grab Bar
BE4017	Transport Bracket, Pair

Casero Duo Homecare Bed

A versatile low electric bed, designed for home and aged care use. The Duo includes a width and length expandable sleeping surface, which expands the bed from single to king single and length from Standard to extended 2200mm. The Casero Duo has a partial wheel locking system, allowing for easy moving of the bed, and comes with standard electric bed features of Hi/ Low, Back Elevation, Knee Break and Trendelenburg function. The European designed, vertically adjustable side rail options offer versatility, support, safety and protection. The bed can have no rails or any number 1-4 split rails.



Available in Single and King Single sizes.

Accessories

Telescopic Side Rails BZ0443 (Sold as Pair)

Collapsible telescopic side rail system attaches firmly to bed frame. Simply drop down any of the 1-4 rails for client access or transfer.

Clamp on Rail (400 mm) BZ0548

Bed grab bar to help people get into and out of the bed. Installed securely on the bed frame and provides the user with a secure handhold.

Self Help Pole BZ0325

Support pole to aid client repositioning while lying in bed. Mounts into inbuilt brackets at either side of bed head.

Back Up Battery BZ0948

For emergency bed function in the event of a power outage. Provides height and bed contour adjustments without mains power.







Modular Design

The Casero Duo is modular and configurable to your client's requirements and includes classic and contemporary designs, upholstery choices and high quality features.

Linked Locking Castors

Easily lockable single motion foot end castors and direction locking head end castors. The Casero Duo can be solidly locked to the floor or unlocked for easy manoeuvrability.

Length and Width Extensions

100-200 mm built in length extension and width extension to transform the mattress surface from a Single to King Single.

Design Options

Fabric / vinyl surrounds, head boards and foot boards offer unmatched design versatility. Beds are configurable as kits with side rail options.

Quality Construction

Main frame constructed from powder coated steel for maximum strength.
Adjustable, contoured mattress retainers for mattress options.

Powered by a high quality reliable Linak electric drive system with the ability to program a bed scanner with Sip n Puff, Joystick or Jelly Bean button.

Hand Controller

Sleek electronic hand controller features clear icon labelled, soft press buttons for full functionality.







Casero Duo HomecareBed

MODEL		Single + head and foot boards	King Single + head and foot boards
CODE		BE6000	BE6100
SAFE WORKING LOAD		250 kg	250 kg
CAPACITY		215 kg	215 kg
WARRANTY		10 year bed frame	
		5 year electrical	
		1 year castor	
FRAME MATERIAL		Powder coated steel	
HEAD / FOOT PANEL	COLOUR	4 fabric options	
HEAD/FOOT PANEL	STYLE	2 style options	
PLATFORM HEIGHT RANGE		184 to 765 mm	
EXTENSION LENGTH		200mm	
DIMENSIONS (mm)	LENGTH	2170 to 2370 mm	2170 to 2370 mm
	WIDTH	1030 mm	1180 mm
MATTRESS SIZE (mm) RECOMMENDED	LENGTH	1980 - 2000 mm	1980 - 2000 mm
	WIDTH	880 - 900 mm	1050 - 1070 mm
	HEIGHT	150 mm	150 mm
BED FRAME WEIGHT (KG)*		115 kg	120 kg
BACKRESTANGLE		0 to 65°	
KNEE BREAK ANGLE		0 to 32° (4 Section Bed)	
TRENDELENBURG TILT		0 to 12°	
COMPLIANCE		AS/NZS IEC 60601-2-52	

BZ0443	Telescopic Side Rail, Pair
BZ0548	Casero Clamp on Rail 400 mm
BZ2570	Side Rail Support Duo Single
BE2590	Side Rail Support Duo King Single
BZ0325	Casero Self Help Pole

Casero Mode Homecare Bed

A versatile floorline electric bed, designed for home and aged care use. The Casero Mode Bed features a split frame design which allows easy transport and delivery into the home. The Mode Bed has a partial wheel locking system, allowing for easy moving of the bed, and comes with standard electric bed features of Hi/ Low, Back Elevation, Knee Break and Trendelenburg function. The European designed, vertically adjustable side rail options offer versatility, support, safety and protection. The bed can have no rails or any number 1-4 split rails.

Available in Single and King Single sizes.

Accessories

Telescopic Side Rails BZ0443 (Sold as Pair)

Collapsible telescopic side rail system attaches firmly to bed frame. Simply drop down any of the 1-4 rails for client access or transfer.

Clamp on Rail (400 mm) BZ0548

Bed grab bar to help people get into and out of the bed. Installed securely on the bed frame and provides the user with a secure handhold.

Self Help Pole BZ0325

Support pole to aid client repositioning while lying in bed.

Mounts into inbuilt brackets at either side of bed head.

Back Up Battery BZ0948

For emergency bed function in the event of a power outage. Provides height and bed contour ad ustments without mains power.







Modular Design

The Casero Mode is modular and configurable to your client's requirements and includes classic and contemporary designs, upholstery choices and high quality features.

Linked Locking Castors

Easily lockable single motion foot end castors and direction locking head end castors. The Casero Duo can be solidly locked to the floor or unlocked for easy manoeuvrability.

Split Floorline Frame

110 mm low height reduces falls risk. Unique split frame design allows for compact delivery and easy installation into hard to access spaces. Includes a 100-200 mm built in length extension.

Design Options

Fabric / vinyl surrounds, head boards and foot boards offer unmatched design versatility. Beds are configurable as kits with side rail options.

Headboard styles Colour options The Oxford The Belgrave Fhony (vinyl)

Quality Construction

Main frame constructed from powder coated steel for maximum strength.
Adjustable, contoured mattress retainers for mattress options.

Powered by a high quality reliable Linak electric drive system with the ability to program a bed scanner with Sip n Puff, Joystick or Jelly Bean button.

Hand Controller

Sleek electronic hand controller features clear icon labelled, soft press buttons for full functionality.



Novis Bed Brochure 2024



Casero Mode HomecareBed

	Cingle + bood and foot boords			
	Single + head and foot boards	King Single + head and foot boards		
	BE6200	BE6300		
	200 kg	200 kg		
	165 kg	165 kg		
	10 year bed frame			
WARRANTY				
		1 year castor		
	Powder coated steel			
COLOUR	4 fabric options			
STYLE	2 style options			
PLATFORM HEIGHT RANGE				
	200 mm			
LENGTH	2170 to 2370 mm	2170 to 2370 mm		
WIDTH	1030 mm	1180 mm		
LENGTH	1980 - 2000 mm	1980 - 2000 mm		
WIDTH	880 - 900 mm	1050 - 1070 mm		
HEIGHT	150 mm	150 mm		
	110 kg	115 kg		
	0 to 65°°			
	0 to 32° 4 Section Bed			
TRENDELENBURG TILT		0 to 12°°		
	AS/NZS IEC 60601-2-520601			
	STYLE LENGTH WIDTH LENGTH WIDTH	200 kg 165 kg 10 year bed frame 5 year electrical 1 year castor Powder coated steel COLOUR 4 fabric options STYLE 2 style options 110 to 7400 mm 200 mm LENGTH 2170 to 2370 mm WIDTH 1030 mm LENGTH 1980 - 2000 mm WIDTH 880 - 900 mm HEIGHT 150 mm 110 kg 0 to 65°° 0 to 32° 4 Section Bed 0 to 12°°		

BZ0443	Telescopic Side Rail, Pair	
BZ0548	Casero Clamp on Rail 400 mm	
BZ2570	Side Rail Support Duo Single	
BE2590	Side Rail Support Duo King Single	
BZ0325	Casero Self Help Pole	

Icare IC333 Homecare Bed

With adjustable height, Trendelenburg tilt, head lift, and knee break capabilities, this bed frame can be easily configured to meet the needs of patients with different medical conditions and treatment requirements. The ICare IC333 Bed offers a reliable and flexible bed solution that meets the needs of both patients and healthcare providers.

Additionally, the fully upholstered surround is available in a range of fabrics, ensuring that the bed seamlessly blends into any healthcare environment.

Available in Long Single, King Single, Double, and Queen sizes



Accessories

Full Length Side Rails ACFSRP (Sold as Pair)

Full length fold down rail available on the left and righthand side. 4 Rails for maximum safety

High Side Rail with Brackets ACHSR-B

Provides user support and stability, especially for getting in and out of bed.

Low Side Rail with Brackets ACLSR-B

Provides user support and stability, preventing bed falls. 3 Rails for maximum safety.

Freestanding Bed Pole ACPUB

Over bed to help with turning, patient transfer, and bed care. A stable design with heavy-duty steel, compatible with all Icare Beds.







Safety and Functionality

Designed with all the function of a hi-lo bed including electric height adjustment, back rest, knee break and Trendelenburg tilt, to deliver multiple positioning options without looking like a hospital bed.

Back Up Battery

External battery backup allows use of the bed functions regardless of power supply. The battery is rechargeable and particularly important for remote areas.

Quality Construction

With a safe working load of 200kg, strong metal mesh under mattress allowing increased airflow, and 8 heavy duty swivel castors with one lockable castor on each corner.

Choice of Fabrics

A wide range of hard-wearing commercial grade fabric options to suit the room. Matching head and foot boards available.

Hand Controller

The backlit hand controller with easy press buttons for night-time use, features a wired stretch cord with a hook attachment for hanging on the side of the bed.

Adjustable Height

Bed Height Range 220 – 660 mm



IC333 HomecareBed

IC333LS-0 IC333LS-SI IC333LS-SM IC333LS-S
IC333LS-SM
IC333LS-S
IC333LS-VD
IC333KS-0
IC333KS-SI
IC333KS-SM
IC333KS-S
IC333KS-VD
HB333S*
HB333KS*
FB333S*
FB333KS*
ACFSRP
ACHSR-B
ACLSR-B
ACPUB

^{*}SPECIFY COLOUR FOR HEAD / FOOTBOARDS

^{**}CONTACT NOVIS FOR OTHER MODELS AVAILABLE



NOTES			

Visit **novis.com.au** or call **1300 738 885**

Come and see us at our NSW, QLD or VIC showrooms

20/12 Mars Rd, Lane Cove West NSW 2066 • B3/15 Forrester St, Kingsgrove NSW 2208 • 3D/6 Boundary Rd, Northmead NSW 2152

3/59 Eastern Rd, Browns Plains QLD 4118 • 1/1-9 Arco Lane, Heatherton VIC 3202

